

EGO™

POWER BEYOND BELIEF™



PRODUCT CATALOG 2023

TABLE OF CONTENTS

POWER+ LINE UP

The Power of EGO	04
EGO POWER+ Batteries & Chargers	06
EGO POWER+ Mowers	12
EGO POWER+ String Trimmers	20
EGO POWER+ Blowers	24
EGO POWER+ Backpack Blowers	28
EGO POWER+ Multi-Head System	30
EGO POWER+ Chain Saws	34
EGO POWER+ Pole Saw	36
EGO POWER+ Hedge Trimmers	38
EGO POWER+ Lifestyle	40
EGO POWER+ Snow Blowers	42
EGO POWER+ Accessories	48
EGO POWER+ Portable Power	52

POWER+ COMMERCIAL SERIES

Power for Pros	54
EGO POWER+ Backpack Battery	60
EGO POWER+ Commercial String Trimmer	62
EGO POWER+ Commercial Hedge Trimmer	64
EGO POWER+ Commercial Top Handle Saw	66
EGO POWER+ Commercial Blower	68
EGO POWER+ Commercial Telescopic Pole System	70



THERE'S ONLY ONE #1 RATED BRAND

EGO is the #1 rated brand in cordless outdoor power and the undisputed leader in cutting-edge technology and design. Every tool in our platform delivers or exceeds the power of gas—without the noise, fuss, or fumes. Our patented ARC Lithium™ technology makes the EGO POWER+ platform the most advanced in the industry and universally compatible with all 70+ in the growing EGO POWER+ platform and packed with power for unrivaled performance and long run times. In every season, for any outdoor challenge, count on EGO tools to deliver the power, performance, and innovation you need.

#1 RATED BRAND

EGO is the #1 rated brand in cordless outdoor power according to industry experts and purchasers based on power, performance, durability, and value.

POWER AND PERFORMANCE OF GAS

All EGO tools deliver or exceeds the power and performance of gas—without the noise, fuss, or fumes—guaranteeing maximum power, longer run times, and industry-leading recharge times.

INDUSTRY'S MOST ADVANCED TECHNOLOGY

Our patented ARC Lithium™ technology is the most advanced in the OPE industry with its shock-resistant design, intelligent power management, ARC Lithium™ design, and keep-cool cell technology.

INNOVATION

No matter which EGO tool you use, you can expect groundbreaking innovation that solves for pain points, such as such as world's first LINE IQ™ Technology, World's first platform-compatible ZTR and world's first auto tensioning technology.



POWER OF GAS NO NOISE, FUSS, OR FUMES


ERGONOMIC DESIGN

DURABLE BUILD PLATFORM COMPATIBILITY

RELIABLE OPERATION

FASTER CHARGING

AND LONGER RUN TIMES



THE MOST ADVANCED TECHNOLOGY IN THE INDUSTRY

Our patented 56V ARC Lithium™ technology is the most advanced in the industry. Unlike other battery packs—which are shaped like bricks and retain heat—ours follows a patented “arc” design to prevent overheating and push heat away. The sealed, shock-resistant design protects batteries from drops and the elements—guaranteeing the highest level of performance and durability. Inside, we developed the most advanced software-management system to maximize power and run time. Our proprietary Keep Cool™ cell technology works with each battery cell to maintain long-lasting power and unmatched performance. With the industry's most advanced battery technology, every tool delivers or exceeds the power and performance of gas without the noise, fuss, or fumes.



BETTER PERFORMANCE IS BUILT IN

No matter which EGO battery you choose, you'll get:

- Protection from drops and the elements, thanks to our shock-resistant design
- Our patented power management system to maximize power and runtime
- Revolutionary phase-change material that keeps cells running cool
- An integrated fuel gauge that shows you how much power is left
- A three-year limited warranty*

*Up to 5 depending on model. See egopowerplus.com for details.

ARC LITHIUM™ 56V

WHAT MAKES EGO SUPERIOR? INDUSTRY'S MOST ADVANCED TECHNOLOGY



SHOCK-RESISTANT DESIGN
EGO's sealed and shock-resistant design protects batteries from drops and the elements—guaranteeing the highest level of performance and durability.



INTELLIGENT POWER MANAGEMENT
EGO's intelligent power management monitors and optimizes each individual battery cell to maximize power, performance, and run time.



56V ARC LITHIUM™
EGO's ARC Lithium™ design keeps the battery from overheating and your equipment running longer at full power.




KEEP-COOL CELL TECHNOLOGY
Each cell of the EGO POWER+ battery is surrounded by revolutionary phase-changing material that pushes heat away.

*only for 2.5Ah, 4.0Ah and 5.0Ah batteries

BATTERY EXPERTISE
Over 25 years' experience in developing best-in-class batteries in-house

56V BATTERIES DELIVER MORE USABLE POWER THAN ANY OTHER HANDHELD BATTERY



NOT ALL VOLTS ARE CREATED EQUAL

VOLTAGE ≠ PERFORMANCE

Performance of a battery is determined by a combination of **ENERGY(Wh)** and **POWER(W)**

$$\text{CAPACITY (Ah)} \times \text{VOLTAGE (V)} = \text{ENERGY (Wh)}$$


$$\text{VOLTAGE (V)} \times \text{CURRENT (A)} = \text{POWER (W)}$$



FROM EMPTY TO FULLY CHARGED, IN JUST 30 MIN

With a range of battery sizes available from 2.5Ah to 12Ah, you can choose the power you need. When it's time to recharge, the EGO POWER+ Turbo Charger is among the fastest on the market. The intelligent battery control system constantly monitors each cell's charge and temperature to deliver the most efficient and quickest charge.

Plus, the fan-cooling system allows the battery to start charging sooner and finish faster. As a result, the time it takes to refuel the battery is often less than the run time you get from a full charge. So you'll always have a battery ready for all-day power and run time.



- BA1400T**
2.5Ah BATTERY
140Wh, 1P
- BA2242T**
4.0Ah BATTERY
224Wh, 2P
- BA2800T**
5.0Ah BATTERY
280Wh, 2P
- BA3360T**
6.0Ah BATTERY
336Wh, 3P
- BA4200T**
7.5Ah BATTERY
420Wh, 3P
- BA5600T**
10.0Ah BATTERY
560Wh, 4P
- BA6720T**
12.0Ah BATTERY
672Wh, 4P



CH5500 RAPID CHARGER

- Fan-Cooled
- Intelligent Charging Technology
- Integrated LED Charging Indicator



CH2800D DUAL-PORT CHARGER

- Fan-Cooled
- Intelligent Charging Technology
- Sequential Charging with Dual Ports
- Charge two EGO Batteries of Any Size



CH7000 TURBO CHARGER

- Fan-Cooled
- Intelligent Charging Technology
- Integrated LED Charging Indicator



CH3200 320W CHARGER

- Fan-Cooled
- Intelligent Charging Technology
- Integrated LED Charging Indicator



CH2100 STANDARD CHARGER

- Fan-Cooled
- Intelligent Charging Technology
- Integrated LED Charging Indicator



PERFORMANCE SPECIFICATIONS

BATTERY	2.5Ah	4.0Ah	5.0Ah	6.0Ah	7.5Ah	10.0Ah	12.0Ah	
CAPACITY	140Wh	224Wh	280Wh	336Wh	420Wh	560Wh	672Wh	
CHARGE TIMES	CH2100	50 mins	80 mins	100 mins	120 mins	145 mins	230 mins	
	CH3200	35 mins	55 mins	70 mins	80 mins	100 mins	130 mins	
	CH5500	30 mins	30 mins	40 mins	45 mins	60 mins	90 mins	
	CH2800D	40 mins (2 battery)	60 mins (2 battery)	80 mins (2 battery)	90 mins (2 battery)	120 mins (2 battery)	160 mins (2 battery)	180 mins (2 battery)
	CH7000	30 mins	30 mins	30 mins	35 mins	45 mins	60 mins	75 mins
WEIGHT	2.8 lbs	4.7 lbs	4.8 lbs	6.2 lbs	6.3 lbs	7.4 lbs	7.9 lbs	
WARRANTY	3 years	3 years	3 years	3 years	3 years	5 years	5 years	

POWER+ LINE UP 2023



EGO[™]
POWER BEYOND BELIEF[™]



Z6 POWER LIKE NO OTHER

The EGO Power+ Z6 Zero Turn Riding Mower is a ZTR like nothing else out there. Featuring Peak Power™+ technology, it's powered by up to 6 EGO 56V ARC Lithium™ Batteries—the same battery technology powering all EGO products, making it the world's first platform compatible rider. Delivering 22 to 25 horsepower—equivalent to a gas engine—and reaching a top speed of 8 MPH, the Z6 covers up to 2 acres (ZT4204L), 2.5 acres (ZT4204S), or 4 acres (ZT5207L) on a single charge. It's fully expandable—add more batteries to cut as many acres as needed! The Industry's Fastest Charger fully charges 40Ah in just 2 hours, 4x faster than competitors. Independent brushless motors deliver the power and performance of gas. Adjustable seat suspension delivers a comfortable mowing experience. Customize the ride with an LCD interface featuring 3 driving modes—Control, Standard, and Sport—that can be accessed with the simple touch of a finger. Premium features like LED lights, a USB charging port, and Bluetooth come standard to make the experience unlike any other ZTR on the market. Experience zero-turn mowing like never before with the EGO Z6 Power+ Zero Turn Riding Mowers, with 3 models to choose from—Power Like No Other.

	ZT4204L	ZT4205S	ZT5207L
HP	22 HP	22 HP	25 HP
WATTS/WH	17,920/2,240 WH	13,440/2,688 WH	20,000/4032 WH
CUT AREA	Up to 2 acres	Up to 2.5 acres	Up to 4 acres
KEY FEATURE	42" stamped deck, lap bar steering, 100% Power+	42" stamped deck with e-STEER™ steering, 100% Power+	52" fabricated deck with lap bar steering, 100% Power+
WHAT'S INCLUDED	(4) 10Ah batteries 1600W charger	(4) 12Ah batteries 1600W charger	(6) 12Ah batteries 1600W charger

EGOPOWERPLUS.COM/POWER-RIDING-MOWERS

DRIVES LIKE A CAR TURNS LIKE A ZTR



ZT4205S 42" Z6 ZERO TURN RIDING MOWER

Drives like a car, turns like a ZTR! Introducing the industry's first e-STEER™ technology, which delivers ultimate control with the added precision of a steering wheel. This Zero Turn riding mower with Peak Power™ technology and 22 HP covers up to 2.5 acres on a single charge with kitted 4x12.0Ah batteries.

22 HORSE-POWER EQUIVALENT **2.5 ACRES CUT PER CHARGE**



DIGITAL DISPLAY OPTIONS

1. Cruise control
2. Mode selection
3. Speed selection
4. Reverse

CUTS UP TO 2.5 ACRES ON A SINGLE CHARGE
*WITH 4 INCLUDED 12.0AH BATTERIES



WORLD'S FIRST PLATFORM COMPATIBLE RIDER



ZT4204L 42" Z6 ZERO TURN RIDING MOWER

Zero Turn riding mower with Peak Power™ technology and 22 HP to covers up to 2 acres on a single charge with kitted 4x10.0Ah batteries.

22 HORSE-POWER EQUIVALENT **2 ACRES**
CUT PER CHARGE



ZT5207L 52" Z6 ZERO TURN RIDING MOWER

Zero Turn riding mower with Peak Power™ technology and 25 HP to covers up to 4 acres on a single charge with kitted 6x12.0Ah batteries.

25 HORSE-POWER EQUIVALENT **4 ACRES**
CUT PER CHARGE



INDUSTRY'S #1 RATED CORDLESS LAWN MOWERS

The EGO POWER+ 21" Select Cut™ XP Mower with Speed IQ™ self-propel technology digitally senses and adapts speed to your stride, no levers or dials to adjust. Plus, an industry-first digital display integrated into the handlebar provides real-time information to monitor lawn mower speed, battery charge status, and blade speed selection.

The 21" Select Cut™ XP Mower with Speed IQ™ delivers 8.3 foot-pounds of cutting torque—power that exceeds gas without the noise, fuss, or fumes. The Select Cut™ Multi-Blade System is equipped with three interchangeable lower blades: the Mulching Blade, High Lift Bagging Blade, and Extended Run Time Blade.

This cordless lawn mower harnesses the power of the industry's most advanced 56V ARC Lithium™ batteries to deliver up to 90 minutes of runtime on a single charge.

INDUSTRY'S SMARTEST MOWER



DIGITAL DISPLAY WITH REAL TIME FEEDBACK FOR BATTERY CHARGE STATUS, BLADE SPEED, AND SELF-PROPEL MODE

PUSH-BUTTON START

SPEED IQ™ DIGITALLY SENSES & ADAPTS TO YOUR STRIDE

PREMIUM BRUSHLESS MOTOR

LARGE-CAPACITY BAG SPILL-FREE DESIGN FOR EASY REMOVAL

LED HEADLIGHTS FOR CUTTING IN LOW LIGHT CONDITIONS

8.3 FT LBS OF TORQUE

75-MINUTE RECHARGE TIME

ONE-HAND HEIGHT ADJUSTMENT WITH EIGHT CUTTING HEIGHTS

MULCHES AND BAGS LIKE PREMIUM GAS

SELECT CUT^{XP}
MULTI-BLADE SYSTEM



CUSTOMIZE YOUR CUT

with with three interchangeable lower blades: the Mulching Blade, High Lift Bagging Blade, and Extended Runtime Blade

FOLDS IN SECONDS
For convenient storage and easy cleaning



Please note: Some features are not available on all models.

LM2167SP 21" SELECT CUT^{XP}™ SELF PROPELLED MOWER WITH SPEED IQ™

The EGO POWER+ 21" Select Cut™ XP Mower with Speed IQ™ self-propel technology digitally senses and adapts speed to your stride—no levers or dials to adjust. The industry's first handlebar-integrated digital display provides real-time information to monitor battery charge status, blade speed, and self-propel mode.



LM2156SP 21" SELECT CUT™ XP CORDLESS MOWER

Self-propelled mower with a 21-inch cutting capacity and Select Cut™ Multi-Blade System




LM2133 21" SELECT CUT PUSH MOWER

Push mower with a 21-inch cutting capacity and Select Cut™ Multi-Blade System



LM2135SP 21" SELECT CUT™ SELF-PROPELLED MOWER

Self-propelled mower with a 21-inch cutting capacity and Select Cut™ Multi-Blade System



LM2135 21" SELECT CUT PUSH MOWER

Push mower with a 21-inch cutting capacity and Select Cut™ Multi-Blade System



*Run time can vary depending on model and battery as well as condition of grass and user operating technique.

LM2125SP 21" SELF-PROPELLED CORDLESS MOWER WITH TOUCH DRIVE™

Self-propelled mower with a 21-inch cutting capacity

- 6.0** TORQUE OF PREMIUM GAS
- 60** RUNS UP TO 60 MINUTES
- TOUCH DRIVE™** SELF-PROPELLED TECHNOLOGY



LM2114 21" PUSH MOWER

Push mower with a 21-inch cutting capacity

- 6.0** TORQUE OF PREMIUM GAS
- 50** RUNS UP TO 50 MINUTES
- WEATHER RESISTANT CONSTRUCTION**



LM2114SP 21" SELF-PROPELLED MOWER

Self-propelled mower with a 21-inch cutting capacity

- 6.0** TORQUE OF PREMIUM GAS
- 55** RUNS UP TO 55 MINUTES
- WEATHER RESISTANT CONSTRUCTION**



LM2142SP 21" SELF-PROPELLED MOWER WITH PEAK POWER™

Self-propelled mower with a 21-inch cutting capacity and 2.0 bushel collection bag

- 8.3** TORQUE OF PREMIUM GAS
- 80** RUNS UP TO 80 MINUTES
- INCLUDES 2X 5.0AH BATTERIES**

PEAK POWER™ TECHNOLOGY
COMBINES THE POWER OF ANY 2 EGO ARC LITHIUM™ BATTERIES



	LM2167SP	LM2156SP	LM2156SP-2	LM2142SP	LM2135SP	LM2135	LM2125SP	LM2114SP	LM2102SP-A	LM2114
CUTTING TORQUE	8.3	8.3	8.3	8.3	7.0	7.0	6.0	6.0	5.9	6.0
RUN TIME	90 mins	75 mins	Continuous	80 mins	60 mins	65 mins	60 mins	50 mins	65 mins	55 mins
KITTED BATTERY	12.0Ah	10.0Ah	2 X 10.0Ah	2 X 5.0Ah	7.5Ah	7.5Ah	7.5Ah	6.0Ah	2 X 4.0Ah	6.0Ah
CUTTING CAPACITY	21"	21"	21"	21"	21"	21"	21"	21"	21"	21"
SELF-PROPELLED	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	No
CUTTING SPEED CONTROL	SPEED IQ™	Automatic Variable Speed™	Automatic Variable Speed™	Automatic Variable Speed™	Automatic Variable Speed™	Automatic Variable Speed™	Automatic Variable Speed™	Automatic Variable Speed™	Automatic Variable Speed™	Automatic Variable Speed™
CUTTING DECK TYPE	Poly	Poly	Poly	Poly	Poly	Poly	Poly	Poly	Poly	Poly
NO-LOAD SPEED	2,800 rpm (normal)	2,800 rpm	2,800 rpm	2,800 rpm	2,700 rpm	2,700 rpm	2,800 rpm	2,800 rpm	2,800 rpm	2,800 rpm
CUT-HEIGHT SETTINGS	1", 1¼", 1½", 2", 2½", 3", 3½", 4"	1", 1¼", 1½", 2", 2½", 3", 3½", 4"	1", 1¼", 1½", 2", 2½", 3", 3½", 4"	1½", 2", 2½", 3", 3½", 4"	1", 1¼", 1½", 2", 2½", 3", 3½", 4"	1", 1¼", 1½", 2", 2½", 3", 3½", 4"	1¼", 1½", 2", 2½", 3", 3½", 4"	1¼", 1½", 2", 2½", 3", 3½", 4"	1½", 2", 2½", 3", 3½", 4"	1¼", 1½", 2", 2½", 3", 3½", 4"
HANDLE HEIGHTS	Three, user-adjustable	Three, user-adjustable	Three, user-adjustable	Three, user-adjustable	Three, user-adjustable	Three, user-adjustable	Three, user-adjustable	Three, user-adjustable	Three, user-adjustable	Three, user-adjustable
REAR COLLECTION	2.0 bushel	2.0 bushel	2.0 bushel	2.0 bushel	2.0 bushel	2.0 bushel	2.0 bushel	2.0 bushel	2.0 bushel	2.0 bushel
MULCHING	Yes-with plug	Yes-with plug	Yes-with plug	Yes-with plug	Yes-with plug	Yes-with plug	Yes-with plug	Yes-with plug	Yes-with plug	Yes-with plug
SIDE DISCHARGE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
VERTICAL STORAGE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
WEIGHT WITHOUT BATTERY	63.0 lbs	54.0 lbs	54.0 lbs	62.6 lbs	55.3 lbs	55.3 lbs	51.1 lbs	50.9 lbs	62.6 lbs	45.2 lbs
WATER RESISTANCE RAITING	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4

*Run time may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.

**Automatic Variable Speed delivers optimal cutting speed to maximize battery run time while maintaining grass cutting performance. *Kit includes highlighted battery and Rapid Charger.



LM2102SP-A 21" SELF-PROPELLED MOWER

Self-propelled mower with a 21-inch cutting capacity and 2.0 bushel collection bag

- 5.9** TORQUE OF PREMIUM GAS
- 65** RUNS UP TO 65 MINUTES WITH 2 X 4.0AH BATTERIES
- WEATHER RESISTANT CONSTRUCTION**





WORLD'S MOST INNOVATIVE STRING TRIMMER ASSORTMENT

The EGO POWER+ String Trimmer assortment features everything from industry-leading innovations to a large cutting swath to cut any task down to size.

Patented Line IQ™ technology is the world's first auto-sensing technology that monitors and feeds the line for a continuous 16-inch cutting swath for non-stop, high-performance trimming—no bump needed! Patented POWERLOAD™ technology automatically winds your trimmer line to make line replacement as easy as feeding the line into the head and pressing a button!

A carbon fiber shaft makes the POWER+ POWERLOAD™ String Trimmer with LINE IQ™ the strongest string trimmer on the market, with the shaft backed by a lifetime warranty.



PTIA 2022 AWARD WINNER

VARIABLE SPEED TRIGGER WITH INTEGRATED LOCK OFF

DIGITAL SPEED SELECTOR & INDICATOR FOR MAXIMUM CONTROL

TELESCOPIC ADJUSTABLE SHAFT FOR ULTIMATE COMFORT

DURABLE CARBON FIBER SHAFT WITH LIFETIME WARRANTY

GET BACK TO WORK IN SECONDS
PATENTED POWERLOAD™ TECHNOLOGY

WORLD'S FIRST LINE IQ™ TECHNOLOGY

AUTOFEED NO BUMP HIGH-PERFORMANCE TRIMMING

ST1623T
16" EGO POWER+ STRING TRIMMER with LINE IQ™ TECHNOLOGY

The world's first String Trimmer with LINE IQ™ Technology

16" CUT CONTINUOUS 16" CUTTING SWATH

CARBON FIBER SHAFT

4.0 AH BATTERY



HIGH-EFFICIENCY BRUSHLESS MOTOR FOR LIFELONG DURABILITY

CONTINUOUS 16" CUTTING SWATH FOR FASTER, MORE EFFICIENT TRIMMING

Please note: Some features are not available on all models.

ST1521S
15" EGO POWER+ STRING TRIMMER
with POWERLOAD™


World's first self-winding string trimmer. Variable-speed, 15-inch cutting swath with auto-wind head and easy string replacement



GET BACK TO WORK IN SECONDS
PATENTED POWERLOAD™ TECHNOLOGY

ST1511T
15" EGO POWER+ STRING TRIMMER
with POWERLOAD™

One of the world's most advanced string trimmers. Telescoping shaft, variable-speed, 15-inch cutting swath with auto-wind head and easy string replacement



GET BACK TO WORK IN SECONDS
PATENTED POWERLOAD™ TECHNOLOGY

ST1502SA
15" EGO POWER+ STRING TRIMMER
with RAPID RELOAD™ HEAD

Variable-speed, 15-inch cutting swath with bump head line feed and easy string replacement




ST1534
15" EGO POWER+ REAR MOTOR
STRING TRIMMER KIT

Rear motor offers a staggering 1200-Watt output. The robust design provides gas performance without the noise, fuss, or fumes.



PATENTED POWERLOAD™ TECHNOLOGY

POWERLOAD™ FEED THE LINE PUSH A BUTTON



STEP 1
Insert the line into the eyelet and push the line until the end of the line comes out of the opposite eyelet.



STEP 2
Pull the line from the other side until equal lengths of the line appear on both sides of the trimmer head.



STEP 3
Press and hold the line-loading button to start the line-winding motor.

	ST1623T	ST1521S	ST1511T	ST1502SA	ST1534
CUTTING WIDTH	16"	15"	15"	15"	15"
RUN TIME	60 mins	30 mins	45 mins	30 mins	45 mins
KITTED BATTERY	4.0Ah	2.5Ah	2.5Ah	2.5Ah	5.0Ah
SPEED CONTROL	2-Speed Variable	Variable	2-Speed Variable	Variable	2-Speed Variable
NO LOAD SPEEDS	3,500-4,800 / 4,000-5,500 rpm	4,000-5,800 rpm	3,500-4,500 / 4,000-5,800 rpm	4,000-5,800 rpm	6,000-7,000 rpm
SOFT START	Yes	Yes	Yes	Yes	Yes
SHAFT	Telescopic Carbon Fiber	Carbon Fiber	Telescopic Aluminum	Aluminum	Aluminum
LINE DIAMETER	0.095"	0.095"	0.095"	0.095"	0.095"
DUAL LINE	Yes	Yes	Yes	Yes	Yes
MOTOR TYPE	Premium Brushless Motor	Premium Brushless Motor	Premium Brushless Motor	Premium Brushless Motor	Premium Brushless Motor
WEIGHT WITHOUT BATTERY	7.5 lbs	7.5 lbs	7.7 lbs	7.3lbs	8.9lbs
WATER RESISTANCE RATING	IPX4	IPX4	IPX4	IPX4	IPX4

*Run time may vary and depend on the battery used, charge level of battery, condition of grass, and user's operation technique.



**WORLD'S MOST POWERFUL
HANDHELD BLOWER**

**MORE POWER
THAN A HANDHELD
GAS BLOWER**

Powered by a high-efficiency brushless motor, EGO POWER+ Blowers feature jet turbine technology and a large diameter tube to give maximum airflow.

The variable-speed function is designed to keep you in control, even in Turbo mode that's capable of pushing air up to 200 MPH, depending on the model. That's more than most hand-held gas blowers on the market and that's enough to easily power through wet leaves, caked on grass, rocks, mud, snow and more.



ULTIMATE CONTROL
VARIABLE SPEED TRIGGER
WITH REDESIGNED CRUISE CONTROL DIAL

**765 CFM TURBO
BOOST MODE**

TURBINE FAN
ENGINEERING

LIFE LONG DURABILITY
HIGH-EFFICIENCY
BRUSHLESS MOTOR

QUICK-RELEASE LEVER

2-HANDED OPERATION
REDESIGNED FOOT
WITH GRIP ZONES

FLAT AND TAPERED
NOZZLE ATTACHMENTS,
200 MPH WITH
TAPERED NOZZLE



**LB7654
765 CFM LEAF BLOWER**

The industry's most powerful blower,
gas or cordless!

765
CFM
VARIABLE
SPEED

90
MIN
RUNS OVER
90 MINUTES

**BRUSHLESS
MOTOR**

Please note: Some features are not available on all models.



LB7654-2
EGO POWER+ BLOWER

World's most powerful handheld blower.
Variable-speed thumb selector for added airflow control with single-handed use, up to 765 CFM

- 765** CFM
VARIABLE SPEED
- 180** MINUTES
RUNS UP TO 180 MINUTES WITH 2 X 5.0AH BATTERIES
- BRUSHLESS MOTOR



LB6703
EGO POWER+ BLOWER

Variable-speed thumb selector for added airflow control with single-handed use, up to 670 CFM

- 670** CFM
VARIABLE SPEED
- 80** MINUTES
RUNS OVER 80 MINUTES
- BRUSHLESS MOTOR



LB6151
EGO POWER+ BLOWER

Variable-speed setting, large blower tube, up to 615 CFM output in Turbo mode

- 615** CFM
VARIABLE SPEED
- 75** MINUTES
RUNS OVER 75 MINUTES
- BRUSHLESS MOTOR



LB5302
EGO POWER+ BLOWER

Variable-speed setting, large blower tube, up to 530 CFM output in Turbo mode

- 530** CFM
VARIABLE SPEED
- 75** MINUTES
RUNS OVER 75 MINUTES
- BRUSHLESS MOTOR



	LB5302	LB6151	LB6703	LB7654	LB7654-2
AIR VOLUME (CFM)	530	615	670	765	765
AIR SPEED (MPH)	130	170 (with tapered nozzle)	180 (with tapered nozzle)	200 (with tapered nozzle)	200 (with tapered nozzle)
LOW SPEED RUNTIME	Up to 75 mins	Up to 100 mins	Up to 160 mins	Up to 150 mins	Up to 150 mins
HIGH SPEED RUNTIME	Up to 22 mins	Up to 15 mins	Up to 24 mins	Up to 25 mins	Up to 25 mins
TURBO RUNTIME	Up to 10 mins	Up to 10 mins	Up to 12 mins	Up to 15 mins	Up to 15 mins
KITTED BATTERY	2.5Ah	2.5Ah	4.0Ah	5.0Ah	2 x 5.0Ah
SPEED SETTING	Variable	Variable/cruise control	Variable/cruise control	Variable/cruise control	Variable/cruise control
SOUND PRESSURE	64dB	63dB	64dB	64dB	64dB
MOTOR TYPE	Premium brushless motor	Premium brushless motor	Premium brushless motor	Premium brushless motor	Premium brushless motor
WEIGHT WITHOUT BATTERY	4.6 lbs	4.6 lbs	4.8 lbs	4.6 lbs	4.6 lbs
WATER RESISTANCE RATING	IPX4	IPX4	IPX4	IPX4	IPX4

*Run time may vary and depend on the battery used, charge level of battery, and user's operation technique.





POWER OF GAS WITHOUT THE NOISE, FUSS AND FUMES

Equipped with a premium brushless motor and turbine fan engineering, the EGO POWER+ Backpack Blower moves air at up to 600 CFM while being eight times quieter and 50% lighter than gas models. It delivers up to 180 minutes of run time. Adjust the waist belt and tube for your needs and comfort. Harness industry-leading ARC Lithium™ technology to clear your lawn with the POWER+ Backpack Blower.

LB6003 EGO POWER+ BACKPACK BLOWER

Variable-speed thumb selector for added airflow control with single-handed use, up to 600 CFM



VARIABLE SPEED



RUNS UP TO 180 MINUTES



BRUSHLESS MOTOR



	LB6003
AIR VOLUME (CFM)	600
AIR SPEED (MPH)	160
LOW SPEED RUNTIME	Up to 180 mins
HIGH SPEED RUNTIME	Up to 33 mins
TURBO RUNTIME	Up to 23 mins
KITTED BATTERY	7.5Ah
SPEED SETTING	Variable/Cruise Control
SOUND PRESSURE	64dB
MOTOR TYPE	Premium Brushless Motor
WEIGHT WITHOUT BATTERY	12.5lbs
WATER RESISTANCE RATING	IPX4

*Run time may vary and depend on the battery used, charge level of battery, and user's operation technique.





HEDGE TRIMMER



POLE SAW



STRING TRIMMER



EDGER

THE EGO MULTI-HEAD SYSTEM, ONE HEAD POWERS ALL TOOLS

With a single power unit and many different attachments, it's easy to see why the EGO POWER+ Power Head System is a very handy tool to have around. The simple and secure tool-free coupling makes switching attachments quick, easy, and safe. And with our innovative 56V ARC Lithium™ battery supplying all the power you need, you can breeze through a variety of jobs without the fuss or fumes and with less noise than traditional gas-powered tools. Plus the extension pole gives you the reach to tackle any height.


ATTACHMENTS AVAILABLE:

- Extension pole
- Pole saw
- String trimmer
- Hedge trimmer
- Edger
- Cultivator
- Bristle brush
- Rubber broom
- Snow shovel



PH1420 POWER+ CARBON FIBER POWER HEAD

With a powerful and smooth high-efficiency brushless motor, it's lightweight, perfectly balanced, and ready for any job, big or small



	PH1400	PH1420
MOTOR TYPE	Brushless	Brushless
ROTATING DIRECTION	Counter-clockwise	Counter-clockwise
SPEED CONTROL	2-speed Variable	Digital 2-speed Variable
DRIVE SHAFT MATERIAL	7mm solid steel	7mm solid steel
DRIVE TUBE TYPE	Aluminium	Carbon fiber
COUPLING MECHANISM	Tool-free quick change	Tool-free quick change
WEIGHT	5.8 lbs	6.1 lbs

MULTI-TOOL SETS	INCLUDES
MST1501	PH1400, STA1500
MHC1502	PH1400, STA1500 and EA0800
ME0800	PH1400, EA0800
ME0801	PH1400, EA0800
MPS1001	PH1400, PSA1000
MHT2001	PH1400, HTA2000
MSS1203	PH1400, SSA1200
MST1604	PH1420, STA1600

MST1603 MULTI-HEAD STRING TRIMMER WITH POWERLOAD™

16" String Trimmer with POWERLOAD™ technology automatically winds your trimmer line. (Available in kit only)



STA1500
POWER HEAD SYSTEM
STRING TRIMMER ATTACHMENT

Packed with features to save you time and help you work safely, quickly, and efficiently



	STA1500
WEIGHT	3.5 lbs
TOTAL LENGTH	38"
SHAFT TYPE	Straight
CUTTING SPEED	5,000-6,000 rpm
RUN TIME*	BATTERY SIZE
	2.5Ah 5.0Ah 7.5Ah
	Up to 18 mins Up to 45 mins Up to 72 mins
CUTTING WIDTH	15"
LINE DIAMETER	.095"
CUTTING HEAD	Rapid reload trimmer head

PSA1000
POWER HEAD SYSTEM
POLE SAW ATTACHMENT

10-inch guide bar and chain make cutting branches fast and efficient



	PSA1000
WEIGHT	4.2 lbs
TOTAL LENGTH	56"
SHAFT TYPE	Straight
CUTTING SPEED	15m/s
RUN TIME*	BATTERY SIZE
	2.5Ah 5.0Ah 7.5Ah
	Up to 70 cuts Up to 140 cuts Up to 210 cuts
BLADE MATERIAL / TYPE	Oregon 90PX040X
GUIDE BAR LENGTH	10"
CHAIN PITCH	3/8"
CHAIN GAUGE	.043"
MAX. CUTTING DIAMETER	8"
OIL TANK CAPACITY	7.4 oz.

CTA9500
POWER HEAD SYSTEM
CULTIVATOR ATTACHMENT

The heavy-duty steel tines are adjustable from 8 to 9.5 inches



	CTA9500
WEIGHT	8.59 lbs
TOTAL LENGTH	39"
SHAFT TYPE	Straight
CUTTING SPEED	210-240 rpm
RUN TIME*	BATTERY SIZE
	2.5Ah 5.0Ah 7.5Ah
	Up to 40 mins Up to 80 mins Up to 120 mins
CUTTING WIDTH	Adjustable 2 blades 8" 4 blades 9.5"
BLADE MATERIAL / TYPE	Steel

EA0800
POWER HEAD SYSTEM
EDGER ATTACHMENT

With quick depth adjustment and handy guide, this attachment makes achieving a perfect edge easy



	EA0800
WEIGHT	5.0 lbs
TOTAL LENGTH	36"
SHAFT TYPE	Straight
CUTTING SPEED	3,400-4,000 rpm
RUN TIME*	BATTERY SIZE
	2.5Ah 5.0Ah 7.5Ah
	N/A Up to 60 min Up to 100 mins
BLADE LENGTH	8"
CUTTING DEPTH	up to 3"
BLADE THICKNESS	0.12"
DEBRIS GUARD MATERIAL	Aluminum casting
BLADE ARBOR HOLE SIZE	1"
GUIDE WHEEL SIZE	5" x 1.5"

HTA2000
POWER HEAD SYSTEM
HEDGE TRIMMER ATTACHMENT

As precise as it is powerful—laser-cut, diamond-ground blades and simple angle adjustments



	HTA2000
WEIGHT	5.9 lbs
TOTAL LENGTH	63"
SHAFT TYPE	Straight
CUTTING SPEED	2,800-3,200 spm
RUN TIME*	BATTERY SIZE
	2.5Ah 5.0Ah 7.5Ah
	Up to 37 mins Up to 82 mins Up to 122 mins
BLADE LENGTH	20"
CUTTING CAPACITY	1"
BLADE MATERIAL / TYPE	Double-sided laser-cut steel blade
FIXED CUTTING ANGLES	12 positions

BBA2100
POWER HEAD SYSTEM
BRISTLE BRUSH ATTACHMENT

22-inch sweeping surface conveniently clears large areas quickly



	BBA2100
WEIGHT	11 lbs
TOTAL LENGTH	40"
SHAFT TYPE	Straight
SPEED	210-240 rpm
RUN TIME*	BATTERY SIZE
	2.5Ah 5.0Ah 7.5Ah
	Up to 50 mins Up to 100 mins Up to 150 mins
CLEANING WIDTH	22"

RBA2100
POWER HEAD SYSTEM
RUBBER BROOM ATTACHMENT

21-inch cleaning swath cleans grass, asphalt, and concrete areas quickly



	RBA2100
TOTAL LENGTH	40.5"
SHAFT TYPE	Straight
SPEED	210-240 rpm
RUN TIME*	BATTERY SIZE
	2.5Ah 5.0Ah 7.5Ah
	Up to 50 mins Up to 100 mins Up to 150 mins
CLEANING WIDTH	21"

SSA1200
POWER HEAD SYSTEM
SNOW SHOVEL ATTACHMENT

12-inch clearing surface and up to 25-foot directional throwing distance



	SSA1200
CLEARING WIDTH	12"
THROWING DISTANCE	25 ft.
RUN TIME*	BATTERY 4.0Ah 4-car driveway with 6" snow
SPEED	2-speed / variable
ADJUSTABLE THROW DIRECTION	(30° L to 30° R)

EP7500
POWER HEAD SYSTEM
EXTENSION POLE

Nothing is out of reach with this strong yet lightweight extension pole; just click in the attachment you need and off you go





ADVANCED TOOL-FREE TENSIONING TECHNOLOGY



EGO POWER+ Chain Saws are built tough to tackle even the hardest jobs. From branches to logs and trunks, nothing gets in its way.

The tool-free chain tensioning system makes for simple setup and easy on-the-fly adjustments. Check the lubrication level through the oil inspection window and you're ready to go.

It really cuts it when it comes to safety, too. The chain kickback and electric brake protect you while you work. And the auto-lubrication system keeps the chain spinning freely at all times.

Plus, with EGO's 56V ARC Lithium™ battery delivering impressive run times and incredible power on a single charge, it'll keep you working cut after cut after.



CS1804/CS1804-2 18" EGO POWER+ CHAIN SAW

18-inch bar length and brushless motor

45 CC OF POWER
300 CUTS
UP TO 300 CUTS
*UP TO 600 CUTS WITH THE CS1804-2

CS1611 16" EGO POWER+ CHAIN SAW

16-inch bar length and brushless motor

40 CC OF POWER
130 CUTS
UP TO 130 CUTS

CS1604 16" EGO POWER+ CHAIN SAW

16-inch bar length and brushless motor

35 CC OF POWER
250 CUTS
UP TO 250 CUTS

CS1401 14" EGO POWER+ CHAIN SAW

14-inch bar length and brushless motor

30 CC OF POWER
130 CUTS
UP TO 130 CUTS



	CS1804	CS1804-2	CS1611	CS1604	CS1401
BAR & CHAIN LENGTH	18"	18"	16"	16"	14"
MOTOR TYPE	High Efficiency Brushless Motor	High Efficiency Brushless Motor	High Efficiency Brushless Motor	High Efficiency Brushless Motor	High Efficiency Brushless Motor
CC POWER EQUIVALENT	45CC	45CC	40CC	35CC	30CC
RUN TIME	300 Cuts	600 Cuts	130 Cuts	250 Cuts	130 Cuts
BATTERY CAPACITY	5.0Ah	2 x 5.0Ah	2.5Ah	5.0Ah	2.5Ah
CHAIN SPEED	20m/s	20m/s	20m/s	13.5m/s	13.5m/s
OIL RESERVOIR	6.76 oz	6.76 oz	5 oz	5 oz	5 oz
AUTOMATIC OILING	Yes	Yes	Yes	Yes	Yes
TOOL-FREE TENSIONING	Yes	Yes	Yes	Yes	Yes
CHAIN BRAKE	Yes	Yes	Yes	Yes	Yes
WEIGHT WITHOUT BATTERY	9.6 lbs	9.6 lbs	9.0 lbs	8.5 lbs	8.2 lbs
WATER RESISTANCE RATING	IPX4	IPX4	IPX4	IPX4	IPX4

*Run time may vary depending on the charge level of the battery and user's operation technique. Based on 4 x 4 lumber.



INDUSTRY'S FIRST LED CUT LINE INDICATOR

Introducing the industry-first's LED Cut Line Indicator for more accurate cuts when working under dark, shaded canopies and low light conditions. Its telescopic carbon fiber shaft extends for a total reach up to 17 feet (when using the extension pole) while maintaining best-in-class weight up to 30 percent lighter than other pole saws. Tool-free tensioning provides fast, precise chain tensioning so you can get back to work faster.



EP1000 POLE SAW EXTENSION POLE

Extend an additional 3.3ft with this durable, light weight carbon fiber extension pole; just click in the attachment you need and get to work. (sold separately)

LED CUT LINE INDICATOR
GET BETTER RESULTS

TOOL-FREE TENSIONING
GET BACK TO WORK FASTER

TELESCOPIC CARBON FIBER SHAFT
STRONG, LIGHT, VERSATILE

QUICK ADJUST HANDLE

UP TO 100 CUTS PER CHARGE
WITH 2.5AH 56V ARC LITHIUM™ BATTERY

LIFELONG DURABILITY
HIGH-EFFICIENCY BRUSHLESS MOTOR

SHOULDER STRAP HOOK



PS1001 10" POLE SAW

The EGO POWER+ 10" Pole Saw introduces an industry-first LED Cut Line Indicator for more accurate cuts when working under dark, shaded canopies and low light conditions





HT2601
26" EGO POWER+ HEDGE TRIMMER

26-inch blade length, 1.2-inch blade gap with dual-action steel blades

1.2" CUT
INCREASED CUT CAPACITY

3,400 SPM
STROKES PER MINUTE

BRUSHLESS MOTOR

180° 5-POSITION ROTATING HANDLE
ULTIMATE CONTROL

UP TO 3,400 STROKES PER MIN
FAST, CLEAN CUTS

1.2" CUT CAPACITY

26" DUAL-ACTION BLADES
LASER CUT STEEL BLADES FOR PRECISION

INDUSTRY'S FIRST CARBON FIBER RAIL
STRONG, LIGHT, VERSATILE

SERVICEABLE GEARBOX
EASY SHARPENING & CUSTOMIZATION

HT2411
24" EGO POWER+ HEDGE TRIMMER

24-inch blade length, 1-inch blade gap with single knife-edge cutting action

1" CUT
INCREASED CUT CAPACITY

3,000 SPM
STROKES PER MINUTE

BRUSHLESS MOTOR

HT2501
25" EGO POWER+ HEDGE TRIMMER

25-inch blade length, 1-1/4-inch blade gap with double-sided, laser cut steel blades

1.25" CUT
INCREASED CUT CAPACITY

3,200 SPM
STROKES PER MINUTE

BRUSHLESS MOTOR

**BALANCED,
CONTROLLED,
POWERFUL
CUTTING**

The EGO POWER+ 26" Hedge Trimmer features dual-action blades that deliver up to 3,400 strokes per minute for fast, clean cuts. Its strong and light carbon fiber rail is an industry first, delivering ultimate durability, backed by a lifetime warranty. The hedge trimmer features a five-position, 180-degree rotating handle that delivers ultimate control. This cordless hedge trimmer has a 1.2-inch cut capacity to tackle thicker branches along with a serviceable gearbox to make blade sharpening quick and easy. Its high-efficiency brushless motor delivers long runtime, low vibrations, and extended tool life. IPX4-rated weather resistance delivers protection from the elements. Experience a cordless hedge trimmer that can truly replace gas.




	HT2410 / HT2411			HT2500 / HT2501			HT2601		
BLADE LENGTH	24"			25"			26"		
BLADE GAP	1"			1.25"			1.2"		
RUN TIME*	BATTERY SIZE			BATTERY SIZE			BATTERY SIZE		
	2.5Ah ~	5.0Ah	7.5Ah	2.5Ah ~	5.0Ah	7.5Ah	2.5Ah ~	5.0Ah	7.5Ah
	Up to 75 mins	Up to 150 mins	Up to 225 mins	Up to 40 mins	Up to 70 mins	Up to 110 mins	Up to 60 mins	Up to 120 mins	Up to 180 mins
SPEED CONTROL	Single speed			2-speed setting (high/low)			Single speed		
NO LOAD SPEEDS	3,000 spm			2,800/3,200 spm			3,400 spm		
BLADE TYPE	Hardened steel cutting blade			Laser cut, diamond ground cutting blades			Diamond ground cutting blades		
CUTTING ACTION	Double-sided cutting blade			Double-sided cutting blade			Double-sided cutting blade		
WEIGHT WITHOUT BATTERY	6.16 lbs			8.4 lbs			6.92 lbs		
WATER RESISTANCE RATING	IPX4			IPX4			IPX4		

*Run time may vary and depend on the battery used, charge level of battery, and user's operation technique.



10,000
LUMENS
OF 4500K
DAYLIGHT



RAFTER HOOKS AND TRIPOD MOUNTS

COMPACT DESIGN



LT1000
EGO POWER+ AREA LIGHT

	LT1000
LUMENS	600-10,000
RUN TIME	35 hours (on low with 5.0Ah battery)
IPX RATING	IPX4
WEIGHT WITHOUT BATTERY	9.48 lbs
BRIGHTNESS	5 settings

WORLD'S MOST POWERFUL AREA LIGHT

Introducing the EGO POWER+ Portable Area Light, the world's most powerful area light in handheld cordless outdoor power. Adjustable from 600-10,000 lumens, use as an ambient mood light, effective task light, and so much more. Activate boost mode for best-in-the class 10,000 lumens to illuminate large areas. With its compact design and integrated handle, easily store this light or take it on the go! This light is equipped with rafter hooks for hanging overhead and a tripod mount to cast light over an entire room. Premium features like a USB-A Port come standard to make the experience unlike any other, allowing you to power or charge essential devices.

FASTER COOLING
4 MISTING NOZZLES
50-1,750 RPM
BLADE ROTATION

CUSTOMIZABLE
COOLING 22.5°
ANGLE ADJUSTMENT

5,000
CFM



ULTIMATE CONTROL
5 DIFFERENT SPEED SETTINGS
2 MISTING MODES




WORLD'S MOST POWERFUL MISTING FAN

Introducing the EGO POWER+ 18" Misting Fan! This fan has double the airflow of a standard 20-inch box fan. Five different speed settings allow you to adjust airflow to your liking from 1,500 CFM to 5,000 CFM for ultimate control. With its telescopic handle and durable wheels, take advantage of superior portability. Bring to sporting events, tailgates, beach days, patio hangouts, and more! Ideal for cooling down indoor and outdoor environments with quiet operations of just 42dB on Speed 1. Simply drop the intake filter in a bucket to cool down 540 square feet, equivalent to a large entertainment patio!

FN1800
EGO POWER+ MISTING FAN

	FN1800
BLADE SIZE	18"
SPEED CONTROL	5 speeds with turbo
AIR FLOW	1,500-5,000 CFM
WIND SPEED	20 MPH
RUN TIME	Up to 60 hours (on speed 1 with 5.0Ah battery)
MISTING MODES	Intermittent / continuous
BLADE ROTATIONS	510-1,750 RPM
WEIGHT WITHOUT BATTERY	24.5 lbs




TAKE ON ANYTHING WINTER THROWS AT YOU

The EGO POWER+ 28 In. Self-Propelled 2-Stage Snow Blower with Peak Power™ exceeds the power and performance of gas without the noise, fuss, and fumes. Featuring Peak Power+ technology, EGO's most powerful cordless snow blower combines the power of any two EGO 56V ARC™ Lithium batteries with a steel auger, a 28-inch clearing width, and 21-inch clearing height to churn through the absolute worst winter can unleash on you—and throws it up to 60 feet away. Its 2-in-1 electronic chute adjustment delivers effortless control of the 200-degree chute direction and deflection so you can throw snow where you need it for efficient snow removal. This 28-inch two-stage snow blower features heated handle grips to help keep your hands warm in the coldest, snowiest conditions while trigger-controlled steering assists with turning the machine for added control. Clear a 32-car driveway with 8 inches of snow on a single charge with two included 12.0Ah ARC™ Lithium batteries. Get the job done easily with variable-speed self-propelled forward and reverse directions, four LED lights for added visibility in early morning or evening, and 16-by-5-inch snow tires for added traction in slippery conditions. Experience Power Beyond Belief™ with the EGO POWER+ 28-Inch Self-Propelled 2-Stage Snow Blower with Peak Power™ and the entire EGO POWER+ lineup.

SNT2807 EGO POWER+ 28" 2-STAGE SNOW BLOWER

PEAK POWER TECHNOLOGY™
COMBINES THE POWER OF ANY TWO EGO ARC LITHIUM™ BATTERIES



	SNT2807
MOTOR TYPE	Brushless
AUGER SPEED CONTROL	Variable
HEATED HANDLES	Yes
CLEARING WIDTH	28"
CLEARING HEIGHT	21"
CHUTE ADJUSTMENT	200°
CHUTE CONTROL	Electronic
THROWING DISTANCE	Up to 60'
PROPULSION	Self-propelled
STEERING	Trigger Controlled
TIRE SIZE	16" x 5"
RUN TIME	2 x 12.0 Ah
	32-car driveway with 8" of snow
WEATHER RESISTANCE	IPX4
WEIGHT WITHOUT BATTERY	180 lbs

*Run time may vary and depend on the battery used, charge level of battery, user's operation technique and condition of snow.


*Run time may vary and depend on the battery used, charge level of battery, user's operation technique and condition of snow.





SNT2416
EGO POWER+ 24" 2-STAGE XP
SNOW BLOWER

**PEAK
POWER
TECHNOLOGY™**
COMBINES THE POWER OF ANY
TWO EGO ARC LITHIUM™ BATTERIES



	SNT2416
MOTOR TYPE	Brushless
AUGER SPEED CONTROL	Variable
HEATED HANDLES	Yes
CLEARING WIDTH	24"
CLEARING HEIGHT	20"
CHUTE ADJUSTMENT	200°
CHUTE CONTROL	2-in-1 Remote
THROWING DISTANCE	Up to 50'
PROPULSION	Self-propelled
STEERING	Trigger Controlled
TIRE SIZE	15" x 3.5"
RUN TIME	2 x 10.0 Ah
	24-car driveway with 8" of snow
WEATHER RESISTANCE	IPX4
WEIGHT WITHOUT BATTERY	170 lbs

*Run time may vary and depend on the battery used, charge level of battery, user's operation technique and condition of snow.



SNT2405 / SNT2406
EGO POWER+ 24" 2-STAGE SNOW BLOWER

Robust steel construction and
50-foot throwing distance

**PEAK
POWER
TECHNOLOGY™**
COMBINES THE POWER OF ANY
TWO EGO ARC LITHIUM™ BATTERIES



	SNT2405	SNT2406
CLEARING WIDTH		24"
RUN TIME*	2 x 7.5Ah	2 x 10.0Ah
	18-Car driveway with 8" of snow	24-car driveway with 8" of snow
VARIABLE AUGER SPEED		Yes
STAGE		2-Stage
MAXIMUM THROWING DISTANCE		50'
PUSH BUTTON START		Yes
HEADLIGHTS		Yes
INTAKE HEIGHT		20"
AUGER TYPE		Robust steel
CHUTE ROTATION		200°
DECK MATERIAL		Robust steel
WEIGHT WITHOUT BATTERY		170 lbs
WATER RESISTANT RATING		IPX4

*Run time may vary and depend on the battery used, charge level of battery, user's operation technique and condition of snow.



STARTS THE FIRST TIME, EVERY TIME

Featuring Peak Power™ technology the EGO POWER+ Snow Blower combines the power of any two EGO 56V ARC Lithium™ batteries for superior clearing power, even heavy, wet snow. Built with a high-efficiency brushless motor and a 21-inch clearing width, it can handle what the city snowplow leaves behind with ease.

Easily adjust the variable-speed auger for maximum control and to throw snow up to 40 feet! A robust, handle-mounted chute-adjustment lever puts the user in control when re-directing the snow up to 180 degrees from side to side. Two bright LED headlights make it convenient for use early in the morning or at night, and the robust steel chassis is built for aggressive use in demanding conditions.



AUGER PROPEL DESIGN
Assists in moving snowblower forward to clean pavement quickly and easily



CLEAR 8" OF SNOW ON A 16-CAR DRIVEWAY with two 7.5Ah ARC Lithium™ batteries

PEAK POWER™ TECHNOLOGY

COMBINES THE POWER OF ANY TWO EGO ARC LITHIUM™ BATTERIES



SNT2125AP EGO POWER+ AUGER-PROPELLED SNOW BLOWER

Auger-propelled design and 45-throwing distance


	SNT2125AP
CLEARING WIDTH	21"
RUN TIME*	2 x 7,5 Ah 16-car driveway with 8" of snow
VARIABLE AUGER SPEED	Yes
STAGE	Single
MAXIMUM THROWING DISTANCE	45'
PUSH BUTTON START	Yes
HEADLIGHTS	Yes
HEATED HAND GRIPS	Yes
INTAKE HEIGHT	13"
AUGER TYPE	Robust Steel
CHUTE ROTATION	180°
CHUTE CONTROL	Remote Direction
DECK MATERIAL	Robust Steel
WEIGHT WITHOUT BATTERY	59.5 lbs
WATER RESISTANT RATING	IPX4

*Run time may vary depending on the battery used, charge level of battery, and user's operation technique.



MSS1203
EGO POWER+ MULTI-HEAD SNOW SHOVEL

12-inch clearing surface and 25-throwing distance



CLEAR 6" OF SNOW ON A 4-CAR DRIVEWAY with the included 4.0Ah ARC Lithium™ battery



25' THROWING DISTANCE



ONE POWERHEAD POWERS MULTIPLE ATTACHMENTS

	MSS1203
WEIGHT	17 lbs
RUN TIME*	4.0Ah
	4-Car driveway with 6" of snow
CLEARING WIDTH	12"
SPEED	2-speed / variable
ADJUSTABLE THROW DIRECTION	25°
THROWING DISTANCE	25'

PEAK POWER TECHNOLOGY

COMBINES THE POWER OF ANY TWO EGO ARC LITHIUM™ BATTERIES

SNT2102 / SNT2103
EGO POWER+ SNOW BLOWER

Rubber tipped auger and 35-foot throwing distance



35' THROWING DISTANCE



SNT2112 / SNT2114
EGO POWER+ SNOW BLOWER

Robust steel auger and 40-foot throwing distance



40' THROWING DISTANCE



	SNT2102 / SNT2103	SNT2112	SNT2114
CLEARING WIDTH	21"		
RUN TIME*	2 x 5.0Ah 10-car driveway with 8" of snow	2 x 7.5Ah 16-car driveway with 8" of snow	2 x 5.0Ah 12-car driveway with 8" of snow
			2 x 7.5Ah 18-car driveway with 8" of snow
VARIABLE AUGER SPEED	Yes		
SINGLE/DUAL STAGE	Single		
MAXIMUM THROWING DISTANCE	35'		40'
PUSH BUTTON START	Yes		
HEADLIGHTS	Yes		
INTAKE HEIGHT	13"		
AUGER TYPE	Rubber-tipped metal frame	Robust steel	
CHUTE ROTATION	180°		
DECK MATERIAL	Robust steel		
WEIGHT WITHOUT BATTERY	50.6 lbs		
WATER RESISTANT RATING	IPX4		

*Run time may vary and depend on the battery used, charge level of battery, and user's operation technique.

EGO POWER+ MOWER BLADES

AB2000

Standard blade for LM2002, LM2021 and LM2022SP



AB2100

Standard blade for LM2101 and LM2102SP



AB2101

High lift blade for 20-inch lawn mowers



AB21000

Mulching Dual-Blade set for EGO Select Cut 21-inch Lawn Mowers



AB21010

Bagging Dual-Blade set for Select Cut 21-inch Lawn Mowers



AB2102

21-inch mower mulching blade



APH1000

21-inch mower phone holder



EGO POWER+ Z6 MOWER

AB4201D

Bagging blade set for ZT4204L



AB4200D

Replacement blade set for ZT4204L



ABP5200

Mulching blade set for ZT5207L



AB5201D

Bagging blade set for ZT5207L



AB5200D

Replacement blade set for ZT5207L



ABK4200

ZT4204L bagger kit



ABK5200

ZT5207L bagger



AMP4200

ZT4204L mulching plug



AMG1000

Z6 onboard storage



AMS1000

Z6 sun shade



EGO POWER+ CHAIN SAW BARS

AG1000

10-inch guide bar for PSA1000 and PSX2500



AG1200

12-inch guide bar for CSX3000



AG1400

14-inch guide bar for CS1400



AG1600

16-inch guide bar for CS1600



AG1800

18-inch guide bar for CS1800



AG1000Q

10-inch bar for carbon fiber pole saw models PS1000 and PSX2510



EGO POWER+ CHAIN SAW CHAINS

AC1000

10-inch chain for PSA1000 and PSX2500
3/8" pitch, .043 gauge, 40 drive links



AC1200

12-inch chain for CSX3000
3/8" pitch, .043 gauge, 45 drive links



AC1400

14-inch chain for CS1400
3/8" pitch, .043 gauge, 52 drive links



AC1600

16-inch chain for CS1600
3/8" pitch, .043 gauge, 56 drive links



AC1800

18-inch chain for CS1800
3/8" pitch, .043 gauge, 62 drive links



AC1000Q

10-inch chain for carbon fiber pole saw models PS1000 and PSX2510



AOL3200

32oz premium bar and chain lubricant
Biodegradable formula



AOL1000

1gal bar and chain lubricant
Biodegradable formula



EGO POWER+ BLOWER ATTACHMENT

AGC1000

Gutter cleaning attachment



AN5300

Nozzle for LB5300 and LB5750



AN5801

Spread nozzle for LB5800



AN6000F

Flat nozzle for LB6500, LB6150, LB5800, LBX6000



AN6000R

Nozzle for LB6500, LB6150, LB5800, LBX6000



AST1000

Handheld blower compact tube attachment



EGO POWER+ SHOULDER STRAPS

AP1500

Universal Shoulder Strap compatible with all EGO blowers and string trimmers



EGO POWER+ STRING TRIMMER HEADS

AH1520

Powerload™ Trimmer Head for ST1500 /ST1500F/ ST1530
*AH1522 for counter-clockwise rotation



AH1500

Rapid Reload Trimmer Head for ST1502SF and MST1501
*AH1501 for counter-clockwise rotation



AH1620

Line-IQ trimmer head for ST1623T



AH1530

Rapid Reload Trimmer Head



AH1531

Rapid Reload Trimmer Head



AH3800

Trimmer Head for STX3800



AH3810

Commercial rapid reload trimmer head



AL2420PB

Pre-Cut 0.095" Premium Twist Trimmer Line 5 Pack



AL2420P

Pre-Cut .095" Twisted Trimmer Line - 5 Pack



AL2420PD

Pre-Cut .095" Twisted Trimmer Line - 5 Pack



AL2470B

230 Feet Of 0.095" Premium Trimmer Line Bulk pack



AL2450S

160 Feet of 0.095" Twisted Trimmer Line



EGO POWER+ SINGLE STAGE SNOW BLOWER

ARP2100

Rubber Paddles for SNT2100



ASS2100

Scraper Bar for SNT2100



ASS1200

Scraper Bar for MSS1203/SSA1200



ARP2101

Steel Auger Paddles for SNT2110



AVB2306

Snow Blower Belt for SNT2100/SNT2110



EGO POWER+ STORAGE BAGS

BMH1000

For use with the EGO Multi-Head System



BCS1000

For use with the EGO 14", 16" & 18" chain saws



CM001

Mower Cover for 20" and 21" mowers



CB002

Single Stage Snow Blower Cover for SNT2100/SNT2110



CRM001

42" Zero Turn Riding Mower Cover



CB003

2-Stage Snow Blower Cover Fits 24" 2-stage models only



EGO POWER+ SAFETY GLASSES

GS001

- Clear lenses with 99.9% UV protection
- Anti-scratch
- Impact-resistant lens



GS002

- Gray lenses with 99.9% UV protection
- Anti-scratch
- Impact-resistant lens



GS003

- Yellow lenses with 99.9% UV protection
- Anti-scratch
- Impact-resistant lens



EGO POWER+ WORK GLOVES

GV001

Synthetic work gloves





POWER WHEN YOU WANT IT POWER WHEN YOU NEED IT

A true alternative to compact gas generators

Say goodbye to the gas generator. The EGO Nexus Power Station can harness the power of any EGO battery to deliver clean, quiet power—indoors or out.

The Nexus Power Station is the first portable power station of its kind. Use in a power outage to plug in your refrigerator so the food does not spoil or plug in your microwave to cook the family a quick dinner. Bring the power station anywhere you do not have convenient power, like camping, hiking, boating, tailgating—the possibilities are endless.

PST3042 / PST3041 / PST3040 3000W NEXUS POWER STATION

World's first battery power source to match gas generators



PAD1500 150W NEXUS ESCAPE

Built tough with a 120V AC power outlet and two USB ports



PAD5000 400W NEXUS ESCAPE

Power up to four total devices simultaneously or charge your 56V EGO Battery



CH1800 SOLAR PANEL CHARGER

Connect your solar panel charger to your EGO Nexus Power Station for convenient solar recharging with up to 180W of charging with 12V solar panels.

*Visit egopowerplus.com for recommended solar panels



	PST3042 / PST3041 / PST3040
POWER OUTPUT	3000W peak 2000W continuous
OUTLETS	3 120V AC
PORTS	4 USB-A
DISPLAY	Bright LED display shows run time
CONSTRUCTION	Robust steel handles
USAGE	Indoor and outdoor
BATTERY CHARGER	4 ports (when plugged in)
WATER RESISTANCE RATING	IPX4 weather-resistant construction

	PAD1500	PAD5000
CONTINUOUS	150W	400W
PEAK	200W	800W
OUTLETS	120V AC	120V AC
PORTS	2 USB-A	2 USB-C ports & 1 USB-A port
SOLAR CHARGING	No	Yes
BUILT IN LIGHT	No	Yes



COMMERCIAL SERIES 2023



EGO[™]
COMMERCIAL

COMING SOON

SETTING THE NEW STANDARD

Introducing the new EGO Commercial Series. The next generation of pro tools delivers all-day power and performance, 365 days a year. And it's no longer driven by gas.

EGO sets a new standard in **POWER, PERFORMANCE & DURABILITY.**

- Powered by EGO 56V ARC Lithium™ battery technology
- Carbon fiber shafts for ultimate durability
- IPX5 weather-resistant construction
- Digital brushless motors with intelligent power management
- Backed by 2-year warranty
- UV-resistant composite



BRUSHLESS MOTOR



WEATHER RESISTANT



CARBON FIBER

TABLE OF CONTENTS

EGO POWER+ Commercial Series	56
Product Offerings	57
EGO POWER+ Backpack Battery	60
Commercial Backpack Battery	61
EGO POWER+ Commercial String Trimmer	62
Commercial String Trimmer	63
EGO POWER+ Commercial Hedge Trimmer	64
25" Commercial Hedge Trimmer	65
EGO POWER+ Commercial Top Handle Saw	66
12" Commercial Top Handle Chain Saw	67
EGO POWER+ Commercial Blower	68
Commercial Blower with 600 CFM Turbo Boost	69
EGO POWER+ Commercial Telescopic Pole System	70
10" Commercial Pole Saw	71
22" Commercial Pole Hedge Trimmer	71
Commercial Telescopic Power Pole	71

LBPX8000 (COMING SOON) EGO COMMERCIAL 800 CFM BACKPACK BLOWER WITH PEAK POWER™

The next-generation EGO Commercial 800 CFM Backpack Blower delivers 800 CFM, air speeds up to 190 MPH, and 26N push force for all-day power and uptime. This battery-powered backpack blower features a high-performance 1900W brushless motor with intelligent electronics to deliver power equivalent to a 60cc gas engine. Tailor performance with digital controls including a battery level indicator and speed control with turbo lock on the blower's fully adjustable hand grip and tube.

- Brushless motor delivers 1900W max power, 1700W rated power
- Peak Power™ combines the power of any two EGO 56V ARC Lithium™ batteries to deliver 800 CFM
- Runs up to 60 minutes on high with two 56V 12.0Ah ARC Lithium™ batteries
- 65 db(A)

* Compared to previous EGO model



**60% MORE
POWER***

STX4500 (COMING SOON) EGO COMMERCIAL 17.5" STRING TRIMMER

The next-generation EGO Commercial 17.5" String Trimmer features a 1600W high-performance brushless motor with intelligent electronics to deliver power equivalent to a 35cc gas engine. Its commercial-grade construction is built for 5X longer life and features a lightweight and durable carbon fiber shaft designed to stand up to the hazards of all-day professional use and transport between jobs. It features UV-resistant composite housing and IPX5-rated weather resistance to take on the toughest conditions. The string trimmer features a 17.5-inch cutting capacity along with a Rapid Reload head that gets you back to work in seconds. The trimmer head can take .095 to .120-inch line with a 26-foot load capacity so you can work uninterrupted.

- 35cc gas engine equivalent
- Brushless motor delivers 1600W max power, 900W rated power
- Runs up to 60 minutes on low with a 56V 5.0Ah ARC Lithium™ battery
- Carbon fiber shaft for ultimate durability
- Three-speed digital control: 3,500 / 4,500 / 5,200 RPM
- Rapid Reload allows you to get back to work in seconds
- 2-year warranty without wear-and-tear exclusions

* Compared to previous EGO model



**20% MORE
POWER***

BCX4500 (COMING SOON) EGO COMMERCIAL 12" BIKE HANDLE BRUSH CUTTER

The EGO Commercial 12" Bike Handle Brush Cutter delivers more power than leading gas equivalents with its 1,600W high-performance brushless motor and intelligent electronics delivering 35cc equivalent. This durable brush cutter is designed for 5X longer life under all-day professional use in the toughest conditions with its UV-resistant composite housing, IPX5-rated weather resistance, and strong and lightweight carbon fiber shaft. Plus, a variable speed, instant-on trigger for control and easier sweeping motion to power through everything from fine fescue grass to 1-inch saplings.

- 35cc gas engine equivalent with 10% more power than leading gas brush cutters (see below*)
- Brushless motor delivers 1,600W max power, 900W rated power
- Runs up to 60 minutes on low with a 56V 7.5Ah ARC Lithium™ battery

* Compared to gas model STIHL FS111

**MORE POWER
THAN GAS***

INDUSTRY LEADING DURABILITY

HTX5300-P (COMING SOON) EGO COMMERCIAL FIXED SHORT POLE HEDGE TRIMMER

The EGO Commercial Fixed Short Pole Hedge Trimmer features industry-leading durability with a carbon fiber shaft and rails. Commercial-grade construction featuring UV-resistant composite housing and IPX5-rated weather resistance provides 5X longer life for all-day trimming, sculpting, shaping, and pruning in the toughest conditions. Powered by 56V ARC Lithium™, its 1000W high-performance brushless motor with intelligent electronics delivers the power of a 25cc gas engine.

- 25cc gas engine equivalent
- Brushless motor delivers 1000W max power / 650W rated power
- Runs up to 75 minutes with a 56V 2.5Ah ARC Lithium™ battery on low
- Carbon fiber shaft and rail for ultimate durability
- Serviceable gearbox and blades provide easy sharpening and customization to minimize downtime



EDX2000 (COMING SOON) EGO COMMERCIAL 8" STRAIGHT EDGER INDUSTRY LEADING DURABILITY

The next-generation EGO Commercial Straight Edger features a strong, lightweight carbon fiber shaft for ultimate durability for all day professional use. Up to 1500W high-performance brushless motor with intelligent electronics is powered by 56V ARC Lithium™ to deliver the power of a 25cc gas engine. It has an 8-inch blade, adjustable guide wheel, and 3-inch max cutting depth. Commercial-grade construction featuring UV-resistant composite housing and IPX5-rated weather resistance for all-day uptime in the toughest conditions.

- 25cc gas engine equivalent
- Brushless motor delivers 1500W max power / 1200W rated power
- Runs up to 60 minutes with a 56V 5.0Ah ARC Lithium™ battery
- Carbon fiber shaft for ultimate durability



HTX5300-PA (COMING SOON) EGO COMMERCIAL ARTICULATING POLE HEDGE TRIMMER

The EGO Commercial Articulating Pole Hedge Trimmer features industry-leading durability with a carbon fiber shaft and rails. Commercial-grade construction featuring UV-resistant composite housing and IPX5-rated weather resistance provides longer life for all-day trimming, sculpting, and pruning in the toughest conditions. Its articulating head rotates 135 degrees across 10 positions for ultimate control and precision. Powered by 56V ARC Lithium™, its 1000W high-performance brushless motor with intelligent electronics delivers the power of a 25cc gas engine.

- 25cc gas engine equivalent
- Brushless motor delivers 1000W max power / 650W rated power
- Runs up to 75 minutes with a 56V 2.5Ah ARC Lithium™ battery on low
- Carbon fiber shaft and rail for ultimate durability
- 135-degree, 10-position articulating head for ultimate control
- Serviceable gearbox and blades provide easy sharpening and customization



EDX2000-C (COMING SOON) EGO COMMERCIAL 8" CURVED EDGER INDUSTRY LEADING DURABILITY

The new EGO Commercial Curved Edger features a thick curved aluminum shaft for ultimate control and visibility around curves. Its up to 1500W high-performance brushless motor with intelligent electronics is powered by 56V ARC Lithium™ to deliver the power of a 25cc gas engine. It has an 8-inch blade, adjustable guide wheel, and 3-inch max cutting depth. Commercial-grade construction featuring UV-resistant composite housing and IPX5-rated weather resistance deliver all-day uptime in the toughest conditions.

- 25cc gas engine equivalent
- Brushless motor delivers 1500W max power / 1200W rated power
- Runs up to 60 minutes with a 56V 5.0Ah ARC Lithium™ battery
- Curved thick aluminum shaft for ultimate durability and better line-of-sight



HTX5310-P (COMING SOON) EGO COMMERCIAL FIXED LONG POLE HEDGE TRIMMER

The EGO Commercial Fixed Long Pole Hedge Trimmer features industry-leading durability with a carbon fiber shaft and rails. Commercial-grade construction featuring UV-resistant composite housing and IPX5-rated weather resistance provides longer life for all-day trimming, sculpting, shaping, and pruning in the toughest conditions. Powered by 56V ARC Lithium™, its 1000W high-performance brushless motor with intelligent electronics delivers the power of a 25cc gas engine.

- 25cc gas engine equivalent
- Brushless motor delivers 1000W max power / 650W rated power
- Runs up to 75 minutes with a 56V 2.5Ah ARC Lithium™ battery on low
- Carbon fiber shaft and rail for ultimate durability
- Serviceable gearbox and blades provide easy sharpening and customization




PSX2510 (COMING SOON) EGO COMMERCIAL 10" TELESCOPIC POLE SAW INDUSTRY'S FIRST CUT LINE INDICATOR

The EGO Commercial 10" Telescopic Pole Saw features a 1200W high-performance brushless motor powered by 56V ARC Lithium™ technology that delivers power equivalent to a 25cc gas engine and 20 m/s chain speeds. Its telescopic carbon fiber shaft is strong, light, and versatile, and up to 40% lighter than leading pole saws.

- 25cc gas engine equivalent
- Brushless motor delivers 1200W max power
- IPX5 Weather Resistant
- Telescoping carbon fiber shaft extends tool up to 12.5ft long for a cutting reach up to 17ft
- Up to 100 cuts with a 56V 2.5 ARC Lithium™ battery





**BACKPACK BATTERIES
THAT WORK AS
HARD AS YOU DO**

Team up your EGO POWER+ tools with one of our lithium-ion backpacks

Balancing exceptional power with user comfort, EGO's lithium-ion BAX1501 backpacks are ergonomically designed to keep you working all day long. The battery pack can be removed from the harness* allowing the battery to be shared among multiple users, each with their own harness.

To ensure optimum performance, efficiency, and longevity, these high-energy capacity batteries incorporate intelligent individual cell monitoring and balancing, both when powering a tool and when recharging.

Designed to perform, built to last

Delivering the run times you demand, EGO POWER+ backpack batteries can give you a full day's work** from a single charge. The high-quality cells with both high power rating and high energy density can handle up to 1,000 charge cycles. Plus, with fast recharging you can go from empty to full in just 3.5 hours.

Flexible performance


With long run times and user-comfort, EGO POWER+ backpack batteries are perfect for all-day use. They're compatible with all EGO POWER+ tools, and as the battery is on the harness and not the tools, they are lighter and even easier to handle.



**BAX1501
COMMERCIAL
BACKPACK BATTERY**
56V 28Ah lithium-ion backpack battery that provides the same power as 80% of gas products, without the noise, fumes, or vibration.

	BAX1501	BH1001	BHX1001	ADB1000
CAPACITY	1,568Wh at 56V rated			
CONNECTION METHOD	Adapter / Plug-in			
BATTERY WEIGHT	19.8 lbs w/o harness			
HARNESS	Detachable	Soft padded double shoulder strap	Double shoulder strap with waist belt	QUICK PLUG-IN AND OUT Yes
WEATHERPROOF PROTECTION	IP56	No	Yes	COUNTERWEIGHT ADJUSTMENT No
CHARGER	CHX5500	Quick plug-in & out for EGO Commercial Tools	Quick plug-in & out for EGO Commercial Tools	RUBBER MOLD PROTECTION Yes
CYCLE LIFE	Up to 1,000 cycles	Adapter ADB1000 for EGO Residential Tools	Adapter ADB1000 for EGO Residential Tools	WEIGHT 1.3 lbs
		Yes	Yes	
		Quick attach (optional)	Quick attach (optional)	
		Yes	Yes	
		4.8 lbs	6.5 lbs	

*Note the harness straps are supplied with padded comfort straps and may appear different.
**Dependent on the tool and based on an 8-hour working day



THE TOUGH ANSWER TO ROUGH GROUND

Perfectly balanced for comfortable use, the EGO Power+ Commercial Backpack Series String Trimmer make short work of even the roughest ground. Power comes from EGO's Commercial Backpack Battery and the ready-for-anything 2,000-watt motor.

All this is channeled through the light and durable carbon fiber shaft. Unlike alloy shafts, it won't bend and lose its shape over time, keeping vibration levels to a minimum.

STX3800 COMMERCIAL BACKPACK SERIES STRING TRIMMER

Leave the fuss and fumes of gas behind with this powerful, pro-standard tool. Pair up with our Commercial Backpack Battery BAX1501 for all-day power and comfort.

	STX3800
CUTTING WIDTH – Line trimmer head	15"
TOTAL LENGTH	73" / 6'
RUN TIME* WITH BAX1501 BATTERY	With trimmer head Up to 300 mins
SPEED CONTROL	Constant variable speed
NO LOAD SPEEDS	5700 rpm
SOFT-START	Yes
LINE DIAMETER	.095" - 1.0"
LINE FEED	Manual wind bump feed head
DUAL LINE	Yes
ROTATING DIRECTION	Counter-clockwise
AUXILIARY HANDLE	Loop handle
HARNESS	Hip pad (AHP1500)
WEIGHT	14.3 lbs
MOTOR TYPE	Brushless
	With trimmer head
VIBRATION (M/S ²)	1.9/1.5

*Run time may vary and depend on the battery used, charge level of battery, condition of grass and user's operation technique.




MAKES CUTTING HEDGES SHORT WORK

Designed for professionals, the Commercial Backpack Series Hedge Trimmer is precision engineered to tackle the toughest hedges with ease

Powered by the gas-matching Commercial Backpack Battery, a single charge delivers impressive run times. The smooth and quiet brushless motor and gearbox give you all the power you need, without the vibration, fumes, and noise of a gas engine.

Blades that stay sharper for longer

The high-quality EGO POWER+ blades are made from laser-cut steel with diamond-ground edges, which are laser-hardened to stay sharp longer than conventional blades.



HTX6500 COMMERCIAL BACKPACK SERIES HEDGE TRIMMER

Powerful, smooth, and perfectly balanced, the dual trigger system provides enhanced user comfort and safety. Making it perfect for any job, big or small.

	HTX6500
BLADE LENGTH	25"
CUTTING CAPACITY	1.3"
BLADE GAP	1.3"
RUN TIME* WITH BAX1501 BATTERY	Up to 420 mins
SPEED CONTROL	One-speed
NO LOAD SPEEDS	3,600 spm
BLADE TYPE	Double-sided cutting
CUTTING ACTION	Dual action; double-sided cutting
BLADE TIP PROTECTOR	Yes
ROTATING HANDLE	No
WEIGHT	8.5 lbs
MOTOR TYPE	Brushless
VIBRATION (M/S²)	3.2/3.9

*Run time may vary and depend on the battery used, charge level of battery, condition of hedge and user's operation technique.




INDUSTRY'S MOST POWERFUL TOP-HANDLE CHAINSAW

EGO's arborist-specialist tool. The Top-Handle Chainsaw is designed to tackle the challenges of all-day professional use and deliver the power of gas at 37.7CC that lasts up to 265 cuts.

With industry-leading ARC Lithium™ battery technology at its heart, the Top-Handle Chainsaw provides unrivaled power, torque, and chain speed, while benefiting from longer run times and fast recharging. And with no pull-cord, no need to run the tool in idle and no hot exhaust, switching to EGO ARC Lithium™ power makes more sense than ever.

A unique Chain-Brake Safety System is a cutting-edge combination of mechanical and electronic technology reducing the risk of injury, stopping the tool's motor faster if kickback occurs.



ABW3000 BATTERY HOLSTER WITH INTEGRATED LANYARD

CSX3000/CSX3003 COMMERCIAL TOP-HANDLE CHAIN SAW

Designed to deliver best-in-class power, torque, and chain speed for the professional arborist

	CSX3000/CSX3003
BAR LENGTH	12"
CHAIN SPECS	3/8" pitch / .043 gauge / 45 links
BATTERY CAPACITY (AH)	5.0 Ah
CHAIN SPEED	20m/s
WEATHER RESISTANCE	IPX4
TOTAL BATTERY ENERGY	280Wh
CUTTING CAPACITY	Up to 265 cuts (with 5.0Ah battery)
AUTO-TENSIONING	No
AUTOMATIC OILING	Yes
CHAIN KICKBACK BRAKE	Yes
WEIGHT	7.7 lbs
MOTOR TYPE	Brushless
BUCKING SPIKES	Metal
Battery status and Low Oil LED's	Yes

*Number of cuts may vary and depend on the battery used, charge level of battery and user's operation technique.
 EGO POWER+ COMMERCIAL TOP-HANDLE SAW



OUT POWERS GAS-POWERED BLOWERS

The LBX6000 delivers more blowing time, more comfort, and more power than gas.

With the ability to blow up to 600 CFM in Turbo mode, the leaves and competition don't stand a chance.

LBX6000 COMMERCIAL BACKPACK SERIES BLOWER

Designed to be used with the Commercial Backpack Battery BAX1501, this powerful blower is light and easy to handle. Plus, the smooth brushless motor reduces vibration and noise compared to its gas-powered equivalents

	LBX6000				
CONSTANT SPEED	Yes				
	Level 1	Level 2	Level 3	Level 4	Boost
RUN TIME* WITH BAX1501 BATTERY	Up to 350 mins	Up to 210 mins	Up to 140 mins	Up to 100 mins	Up to 70 mins
AIR VOLUME	Max = 600 CFM				
AIR SPEED	130 MPH / 170 MPH (with tapered nozzle)				
FORCE (MAX)	20N				
SPEED SETTING	4 level settings and boost				
WEIGHT	5.9 lbs				
MOTOR TYPE	Brushless				
VIBRATION (M/S ²)	1.167				

*Run time may vary and depend on the battery used, charge level of the battery and user's operation technique.



PSX2500
COMMERCIAL POLE SAW ATTACHMENT

The EGO POWER+ Commercial Pole Saw Attachment is designed to be used exclusively with the Commercial Telescopic Power Pole system.



PTX5100
COMMERCIAL POLE HEDGE ATTACHMENT

The EGO POWER+ Commercial Pole Hedge Attachment is designed to be used exclusively with the Commercial Telescopic Power Pole system.



**EGO POWER+
 COMMERCIAL
 SERIES
 TELESCOPIC
 POLE SYSTEM**

The EGO POWER+ Commercial Power Pole with a telescopic shaft easily adjusts to your height for a comfortable fit all day long and extends to 13.2 feet for maximum reach. Take advantage of one or both interchangeable hedge trimmer or pole saw attachments.

The Commercial Pole Saw Attachment (PSX2500) is equipped with a 10-inch bar and chain and is designed to tackle the challenges of all-day professional use while offering precise pruning and limbing.

The Commercial 22-inch Pole Hedge Attachment (PTX5100) has double-sided, laser cut steel blades to ensure durability and longevity against the all day conditions met by professionals.

PPX1000
**COMMERCIAL TELESCOPIC
 POWER POLE**

The telescopic shaft easily adjusts to your height for a comfortable fit all-day long and extends to 13.2ft for maximum reach. Use exclusively compatible with PSX2500 and PTX5100.

	PSX2500/PSX2504
MOTOR TYPE	Brushless
TELESCOPIC SHAFT	Yes
MAX POLE LENGTH	13.2 ft.
WEATHER RESISTANT	IPX4
WEIGHT (BARE TOOL)	12.5 lbs
BAR & CHAIN SIZE	10"
CHAIN SPECS	3/8" pitch / 0.043 gauge
CHAIN SPEED	22 m/s
AUTO-TENSIONING	No
AUTO-OILING	Yes
BUCKING SPIKES	Metal
CUTTING CAPACITY (4X4 WOOD)	230 cuts (with 5.0Ah battery)
WARRANTY	5 year res. / 2 year comm.

	PTX5100
MOTOR TYPE	Brushless
TELESCOPIC SHAFT	Yes
MAX POLE LENGTH	12.2 ft.
WEATHER RESISTANT	IPX4
WEIGHT (BARE TOOL)	12.8 lbs
TRIMMER CUTTING LENGTH	20"
CUTTING CAPACITY	1"
SINGLE OR DUAL ACTION	Dual & double-sided
STROKES PER MIN	3,000
BLADE MATERIAL	Steel
LASER	Yes
ARTICULATING HEAD	Yes (6 positions)
HEAD ROTATION	90 degree
RUN TIME	2 hours (with 5.0Ah battery)
WARRANTY	5 year res. / 2 year comm.

*Run time may vary and depend on the battery used, charge level of the battery and user's operation technique.



POWER BEYOND BELIEF™

Your local dealer:

www.egopowerplus.com



All rights reserved. Neither this catalog nor its text, images, illustrations or part thereof, may be reproduced, stored in a retrieval system, photocopied, recorded or transmitted in any form, whether electronic or otherwise, without our consent. To the best of our knowledge, all descriptions, images and illustrations contained in this catalog are correct at the time of going to print. We cannot, however, be held liable for any inaccuracies of description, image or illustration and reserve the right to change specifications without notification.

©EGO 2023

EGOCTI-22